



L Number	Hits	Search Text	DB	Time stamp
1	464	(server near3 availability) and (central\$5 with (location or database or stor\$5 or availabl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:04
2	79	<pre>((server near3 availability) and (central\$5 with (location or database or stor\$5 or availabl\$3))) and (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 18:17
3	97	((server near3 availability) and (central\$5 with (location or database or stor\$5 or availabl\$3))) and (heart?beat or alive or availability or load\$7) near3 (signal or messag\$3 or notif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:05
4	48	(((server near3 availability)) and (central\$5 with (location or database or stor\$5 or availabl\$3))) and (heart?beat or alive or availability or load\$7) near3 (signal or messag\$3 or notif\$7)) and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:31
5	55	(((server near3 availability) and (central\$5 with (location or database or stor\$5 or availabl\$3))) and (heart?beat or alive or availability or load\$7) near3 (signal or messag\$3 or notif\$7)) and notif\$7 with (status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:48
6	55	((((server near3 availability)) and (central\$5 with (location or database or stor\$5 or availabl\$3))) and (heart?beat or alive or availability or load\$7) near3 (signal or messag\$3 or notif\$7)) and notif\$7 with (status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (notif\$7 or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3 or interval or periodic\$5) near5 (updat\$5 or interval or periodic\$5 or notif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:10
7	41	1 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:36





8	40	<pre>((((((server near3 availability) and (central\$5 with (location or database or stor\$5 or availabl\$3))) and (heart?beat or alive or availability or load\$7) near3 (signal or messag\$3 or notif\$7)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08
9	38	notif\$7 with (status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (notif\$7 or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3 or interval or periodic\$5) near5 (updat\$5 or interval or periodic\$5 or notif\$5)) and @ad<20000715) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive) (((((server near3 availability)) and (central\$5 with (location or database or stor\$5 or availabl\$3))) and (heart?beat or alive or availability or load\$7) near3 (signal or messag\$3 or notif\$7)) and notif\$7 with (status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (notif\$7 or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3 or interval or periodic\$5 or notif\$5)) and @ad<20000715) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and manag\$7 near5 (location or database or availabl\$3 or central\$5 or access\$5 or signal or heartbeat or alive) or signal or heartbeat or alive or stor\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:29
10	94792	or log\$4) ((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 19:41
11	1707	<pre>(((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:14
12	445	<pre>(((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:14
13	343	messags or notify) ((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:07





14	41	(((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and (location or database) near3 central\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:17
15	24	(((((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and (location or database) near3 central\$5 same (heart?beat or alive or availability or signal or messag\$3 or notif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:17
16	12		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:18
17	13588	"23" and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 18:31
18	63	(((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:08
19	40	((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 near5 (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:31





20	17	(((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 near3 (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08
21	216	((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and (messag\$5 or signal or alive or heartbeat or heart?beat or avail\$5 or load\$5 or notif\$7) near3 (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3 or interval or rang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:41
22	24		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:35
23	13	↓	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:42





24	58	(((((fault near1 toleran\$5 or availab\$5)	USPAT;	2003/12/08
		or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and (messag\$5 or signal or alive or heartbeat or heart?beat or avail\$5 or load\$5 or notif\$7) near3 (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3 or interval or rang\$3) same (central\$5 or database or shar\$5)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	18:42
25	58	(((((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$6 same (central\$5 or database or shar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:10
26	22	(((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and (messag\$5 or signal or alive or heartbeat or heart?beat or avail\$5 or load\$5 or notif\$7) near3 (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3 or interval or rang\$3) same (central\$5 or database or shar\$5)) and (((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$6 same (central\$5 or database or shar\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:42





27	11	((((((fault nearl toleran\$5 or	USPAT;	2003/12/08
2 /	++	availab\$5) or load\$8 or load?balanc\$5)	US-PGPUB;	19:12
		near5 (network\$3 or server\$1 or node\$1 or	EPO; JPO;	13.12
		cluster or distributed)) same (heart?beat	DERWENT;	
		or alive or availability) near3 (signal	IBM TDB	
		or messag\$3 or notif\$7)) and (keep\$5 or	1011_100	
		sav\$5 or record\$5 or log\$5 or stor\$5\$5)		
		near5 (location or database or availabl\$3		
		or central\$5 or access\$5 or notif\$6 or		
		signal or heartbeat or alive)) and		
		(messag\$5 or signal or alive or heartbeat		
		or heart?beat or avail\$5 or load\$5 or		
		notif\$7) near3 (period or time or		
		time?stamp or limit\$4 or thresh\$5 or		
		bound\$3 or interval or rang\$3) same		
		(central\$5 or database or shar\$5)) and		:
		(((((fault near1 toleran\$5 or availab\$5)		
		or load\$8 or load?balanc\$5) near5		
		(network\$3 or server\$1 or node\$1 or		
		cluster or distributed)) same (heart?beat		
		or alive or availability) near3 (signal		
		or messag\$3 or notif\$7)) and (keep\$5 or		
		sav\$5 or record\$5 or log\$5 or stor\$5\$5)		
		near5 (location or database or availabl\$3		
		or central\$5 or access\$5 or notif\$6 or		
		signal or heartbeat or alive)) and		
		notif\$6 same (central\$5 or database or		
		shar\$5))) and @ad<20000715		
28	2	("6353898").PN.	USPAT;	2003/12/08
			US-PGPUB;	18:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
29	9	(((((fault nearl toleran\$5 or availab\$5)	USPAT;	2003/12/08
		or load\$8 or load?balanc\$5) near5	US-PGPUB;	19:05
		(network\$3 or server\$1 or node\$1 or	EPO; JPO;	
		cluster or distributed)) same (heart?beat	DERWENT;	
		or alive or availability) near3 (signal	IBM_TDB	
		or messag\$3 or notif\$7)) and (keep\$5 or		·
1		sav\$5 or record\$5 or log\$5 or stor\$5\$5)		
1		near5 (location or database or availabl\$3		
		or central\$5 or access\$5 or notif\$6 or		1
	[signal or heartbeat or alive)) and		
1	[(messag\$5 or signal or alive or heartbeat		
	1	or heart?beat or avail\$5 or load\$5 or		
		notif\$7) near3 (period or time or		
		time?stamp or limit\$4 or thresh\$5 or		
	1	bound\$3 or interval or rang\$3)) and		1
1		watchdog		
30	1448		USPAT;	2003/12/08
		or load\$8 or load?balanc\$5) near5	US-PGPUB;	19:08
		(network\$3 or server\$1 or node\$1 or	EPO; JPO;	
	1	cluster or distributed)) and (heart?beat	DERWENT;	
		or alive or availability) near3 (signal	IBM_TDB	
		or messag\$3 or notif\$7)) and (keep\$5 or	_	
]		sav\$5 or record\$5 or log\$5 or stor\$5\$5)	1	
		near5 (location or database or availabl\$3	1	
		or central\$5 or access\$5 or notif\$6 or	1	
		signal or heartbeat or alive)	1	
L	1 <u> </u>	<u>, , , , , , , , , , , , , , , , , , , </u>	L	





31	401	(((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:09
32	267	bound\$3) ((((((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and notif\$7 with (avail\$7 or fail\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:11
33	117	<pre>(((((((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and notif\$7 with (avail\$7 or fail\$6)) and notif\$6 same (central\$5 or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:10
34	158	database or shar\$5) (((((((fault near1 toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and notif\$7 with (avail\$7 or fail\$6)) and notif\$6 same (central\$5 or database or aparefs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:10
35	93	database or shar\$5 or stor\$5) ((((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and notif\$7 with (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (measur\$5 or percentage or total) with (avail\$7 or fail\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:12





1
bound\$3)) and (measur\$5 or percentage or total) with (avail\$7 or fail\$6))) and





39	22	((((((fault nearl toleran\$5 or availab\$5) or load\$8 or load?balanc\$5) near5 (network\$3 or server\$1 or node\$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag\$3 or notif\$7)) and (keep\$5 or sav\$5 or record\$5 or log\$5 or stor\$5\$5) near5 (location or database or availabl\$3 or central\$5 or access\$5 or notif\$6 or signal or heartbeat or alive)) and (messag\$5 or signal or alive or heartbeat or heart?beat or avail\$5 or load\$5 or notif\$7) near3 (period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3 or interval or rang\$3)) and (measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:47
40	2200	(measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 19:47
42	293	<pre>((measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and notif\$7 with (status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:48
43	297	<pre>((measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and notif\$7 with (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:48
44	146	<pre>((measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and notif\$7 near5 (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	.2003/12/08 19:49
45	115	(((measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and notif\$7 near5 (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (stor\$5 or inser\$6 or add\$3 or record\$3 or log\$3) near5 (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08
47	41	((((measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and notif\$7 near5 (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (stor\$5 or inser\$6 or add\$3 or record\$3 or log\$3) near5 (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and central\$5 near5 (location or stor\$5 or database or table or list\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:51





48	24	<pre>(((((measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and notif\$7 near5 (interval</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 21:03
		or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (stor\$5 or inser\$6 or add\$3 or record\$3 or log\$3) near5 (interval or status or	IBM_TDB	
		period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and central\$5 near5 (location or stor\$5 or database or table or list\$4)) and @ad<20000715		
49	0	709.223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 21:04
50	6242	709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 21:04
52	8	<pre>(((((measur\$5 or percentage or total) with avail\$7 near5 (network\$3 or server\$1 or node\$1 or cluster or distributed or application)) and notif\$7 near5 (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and (stor\$5 or inser\$6 or add\$3 or record\$3 or log\$3) near5 (interval or status or period or time or time?stamp or limit\$4 or thresh\$5 or bound\$3)) and central\$5 near5 (location or stor\$5 or database or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 21:04
		table or list\$4)) and 709/223-226.ccls.		